

3	4 (use SS size)	215-220	8.55	185 -190 -195	195 -200 -205	X XX XXX XXXX	S, M, H
				190 -195 - 200	200 -205 -210		
				195 -200 -205	205 -210 -215		
				200 -205 -210	210 -215 -220		
3½	4½ (use SS size)	220-225	8.75	190 -195 - 200	200 -205 -210	X XX XXX XXXX	S, M, H
				195 -200 -205	205 -210 -215		
				200 -205 -210	210 -215 -220		
				205 -210 -215	215 -220 -225		
4	5 (use SS size)	225-230	8.9	195 -200 -205	205 -210 -215	X XX XXX XXXX	S, M, H
				200 -205 -210	210 -215 -220		
				205 -210 -215	215 -220 -225		
				210 -215 -220	220 -225 -230		
4½	5½ (use SS size)	230-235	9.2	200 -205 -210	210 -215 -220	X XX XXX XXXX	S, M, H
				205 -210 -215	215 -220 -225		
				210 -215 -220	220 -225 -230		
				215 -220 -225	225 -230 -235		
5	6 (use SS size)	235-240	9.4	205 -210 -215	215 -220 -225	X XX XXX XXXX	S, M, H
				210 -215 -220	220 -225 -230		
				215 -220 -225	225 -230 -235		
				220 -225 -230	230 -235 -240		
5½	7 (use SS size)	240-245	9.6	210 -215 -220	220 -225 -230	X XX XXX XXXX	S, M, H
				215 -220 -225	225 -230 -235		
				220 -225 -230	230 -235 -240		
				225 -230 -235	235 -240 -245		
6	7½ (use SS size)	245-250	9.75	215 -220 -225	225 -230 -235	X XX	S, M, H

				220 -225 -230	230 -235 -240	XXX XXXX	
				225 -230 -235	235 -240 -245		
				230 -235 -240	240 -245 -250		
6½	8½ (use SS size)	250- 255	10	220 -225 -230	230 -235 -240	X XX XXX XXXX	S, M, H
				225 -230 -235	235 -240 -245		
				230 -235 -240	240 -245 -250		
				235 -240 -245	245 -250 -255		
7	9½ (use SS size)	255- 260	10.15	225 -230 -235	235 -240 -245	X XX XXX XXXX	S, M, H
				230 -235 -240	240 -245 -250		
				235 -240 -245	245 -250 -255		
				240 -245 -250	250 -255 -260		
7½	10 (use SS size)	260- 265	10.35	230 -235 -240	240 -245 -250	X XX XXX XXXX	S, M, H
				235 -240 -245	245 -250 -255		
				240 -245 -250	250 -255 -260		
				245 -250 -255	255 -260 -265		
8	10½ (use SS size)	265- 270	10.62	235 -240 -245	245 -250 -255	X XX XXX XXXX	S, M, H
				240 -245 -250	250 -255 -260		
				245 -250 -255	255 -260 -265		
				250 -255 -260	260 -265 -270		
8.5	10½ (use SS size)	270- 275	10.62	240 -245 -250	250 -255 -260	X XX XXX XXXX	S, M, H
				245 -250 -255	255 -260 -265		
				250 -255 -260	260 -265 -270		
				255 -260 -265	265 -270 -275		
<u>Siberian Swan (SS) length</u>				<u>Style</u> «Rudolf» <u>male pointes</u>		<u>Width</u> <u>Symbols</u>	<u>©Active Arch</u> <u>Support™</u> <u>firmness</u>

SS size	USA	mm	inches	Width Girth mm		
7½	9½ (use SS size)	260-265	10.40	235-245	X XX XXX XXXX	S, M, H
				240-250		
				245-250		
				250-260		
8	10 (use SS size)	265-270	10.60	240-250	X XX XXX XXXX	S, M, H
				245-255		
				250-260		
				255-265		
8½	10½ (use SS size)	270-275	10.85	243-253	X XX XXX XXXX	S, M, H
				248-258		
				253-263		
				258-268		
9	11 (use SS size)	275-280	11.00	246-256	X XX XXX XXXX	S, M, H
				252-262		
				255-265		
				262-272		
9½	11½ (use SS size)	285-290	11.41	N/A	X XX XXX XXXX	S, M, H
				N/A		
				259-269		
				263-273		
10	12 (use SS size)	290-295	11.61	N/A	X XX XXX XXXX	S, M, H
				N/A		
				263-273		
				267-277		

10½	12½ (use SS size)	300- 305	12.00	N/A	X XX XXX XXXX	S, M, H
				N/A		
				266-276		
				269-279		
11	13 (use SS size)	305- 310	12.20	N/A	X XX XXX XXXX	S, M, H
				N/A		
				269-279		
				272-282		
11½	13½ (use SS size)	310- 315	12.40	N/A	X XX XXX XXXX	S, M, H
				N/A		
				272-282		
				276-286		
12	14 (use SS size)	315- 320	12.60	N/A	X XX XXX XXXX	S, M, H
				N/A		
				275-285		
				279-289		